


AF Crosstac™ Containers (AIAG)



USA HEADQUARTERS
Schaefer Systems International, Inc.

Shipping Address
10021 Westlake Drive
Charlotte, NC 28273

Mailing Address
P.O. Box 7009
Charlotte, NC 28241

Tel: 704-944-4500
Fax: 704-588-1862


PACKAGING SYSTEMS DIVISION
USA, CANADA, MEXICO

1795 Alysheba Way
Suite 6104
Lexington, KY 40509

Tel: 859-294-5615
Fax: 859-294-5616
Toll Free: 888-SSI-TOTE
Email: packaginghelp@ssitote.net

Customer Service
Tel: 704-944-4583
Fax: 704-944-4582

Email: general@ssimail.net
www.ssi-schaefer.us



AF Crosstac™ Returnable Containers

Crosstac containers are AF Transtac containers with a bottom design which permits cross stacking, regardless of container size. This results in less handling time and labor at line side, and significant cost savings.

The bottom of the Crosstac™ container is designed so that large containers can be stacked on top of small ones or vice versa. Heights are calculated to add up to a level pallet load, regardless of how the containers are stacked. For the shipper this means less time is needed to cube a pallet efficiently. And, when the containers arrive at the cross dock, they are stacked on the pallet based on the order in which they will be used at the assembly line.

AF Crosstac™ Containers (measurements in inches, unless specified)												
Order #	Boxes Per Layer	Outside Dimensions			Inside Dimensions			Capacity	Tare Weight	Recommended Load	Maximum Stack Load	Truckload Quantity
		48 x 45	L	W	H	L*	W*					
AF 121504.AC	12	11.9	14.9	4.0	9.4	13.0	2.9	0.21	2.2	55	1320	7200
AF 121507.AC	12	12.0	15.0	7.5	9.4	13.0	6.4	0.48	3.2	55	1320	3744
AF 241504.AC	6	23.9	14.9	4.0	21.4	13.0	2.9	0.47	3.8	55	1320	3600
AF 241507.XC	6	24.0	15.0	7.5	21.4	13.0	6.4	1.03	4.9	55	1320	1872
AF 241511.AC	6	23.9	14.9	10.9	21.4	13.0	9.8	1.58	6.3	55	1320	1296
AF 241514.XC	6	23.9	14.9	14.5	21.4	13.0	13.4	2.16	7.7	55	1320	864
AF 242207.AC	4	23.9	22.4	7.3	21.4	20.5	6.4	1.66	6.9	55	1320	1248
AF 242211.XC	4	23.9	22.4	10.9	21.4	20.5	9.9	2.60	8.5	55	1320	864
AF 242214.XC	4	23.9	22.4	14.5	21.4	20.5	13.4	3.50	10.6	55	1320	576
AF 481507.AC	3	47.9	14.9	7.5	46.3	13.3	6.4	2.30	8.9	44	1320	936
AF 481511.AC	3	47.9	14.9	10.9	46.3	13.3	9.8	3.40	11.2	44	1320	648

* Bottom

Standard Features of the AF Crosstac™ Container


- Returnable, stackable onto footprints of 12" x 7" thru 24" x 22"
- Based on AIAG standard sizes
- Meet NAFTA specifications
- Compatible with existing 48" x 45" pallet container systems for optimum use of trailer cube space
- Ergonomic handles on two sides
- Made of HDPE for excellent strength and durability
- 4815 and 3615 Crosstac containers available using cut and weld
- Available in 11 standard sizes
- ISO 9001 Certified
- Roller conveyor compatible

Bottom

The bottom of the Crosstac™ container is designed so that large containers can be stacked on top of small ones or vice versa.

- Smaller containers are especially designed for optimum operation on roller conveyors
- Standard design for quiet, easy operation on all types of conveying systems
- Standard color charcoal gray, blue and green
- Molded in drain holes option

Ask About Our: Pooling, Leasing & Financing Options



Crosstac™ Containers are Now Standard at Ford, Toyota, CAPS, Subaru, Delphi and More

- 1** Parts shipments from vendors
- 2** Parts are unitized on pallet for easy line side access
- 3** Parts arrive ready to use

AF Crosstac™ Cardholders

Order #	Cardholder Location				
	12" Side	15" Side	22" Side	24" Side	48" Side
AF 121504.AC	AF CLIPS	—	—	—	—
AF 121507.AC	AF CLIPS	AF CH 07	—	—	—
AF 241504.AC	—	—	—	AF CLIPS	—
AF 241507.XC	—	AF CH 07	—	AF CH 07	—
AF 241511.AC	—	AF CH 07	—	AF CH 07	—
AF 241514.XC	—	AF CH 07	—	AF CH 07	—
AF 242207.AC	—	—	AF CH 07	AF CH 07	—
AF 242211.XC	—	—	AF CH 07	AF CH 07	—
AF 242214.XC	—	—	AF CH 07	AF CH 07	—
AF 481507.AC	—	AF CLIPS	—	—	AF CLIPS
AF 481511.AC	—	AF CLIPS	—	—	AF CLIPS