

## Euro-Fix™ Containers



**USA HEADQUARTERS**  
**Schaefer Systems International, Inc.**

Shipping Address  
10021 Westlake Drive  
Charlotte, NC 28273

Mailing Address  
P.O. Box 7009  
Charlotte, NC 28241

Tel: 704-944-4500  
Fax: 704-588-1862

**PACKAGING SYSTEMS DIVISION**  
**USA, CANADA, MEXICO**

1795 Alysheba Way  
Suite 6104  
Lexington, KY 40509

Tel: 859-294-5615  
Fax: 859-294-5616  
Toll Free: 888-SSI-TOTE  
Email: [packaginghelp@ssitote.net](mailto:packaginghelp@ssitote.net)

Customer Service  
Tel: 704-944-4583  
Fax: 704-944-4582


Email: [general@ssimail.net](mailto:general@ssimail.net)  
[www.ssi-schaefer.us](http://www.ssi-schaefer.us)

## Euro-Fix Containers With Solid Base & Sides

Schaefer's complete line of stack-only containers for storage, distribution and work-in-process applications. Modular to 32" x 48" Euro-pallet and to 48" x 40" pallets.

### Euro-Fix Advantages

- Available in 72 sizes, five footprints
- Heights from 3" to 16.5"
- Standard colors: red or grey; additional colors are available, minimum quantities apply
- Over 15 lids, clips and accessories
- A true family of products which can be interstacked on a pallet
- Designed for high cube utilization and strength
- Made of polypropylene which makes the Euro-Fix economical, durable and easy to clean
- Available in conductive version
- More material has been added for extra strength
- Spacing, number and thickness of ribs add even more strength and years of life to the container
- Some containers are available with reinforced bottoms (see items labeled VB in chart) to support even heavier loads, and for quiet operation in automated storage systems. Minimum order quantity: 500
- The EF 8320, a 4.59 cubic foot capacity container, features a ribbed traction bottom for maximum load bearing and smooth conveyor operation



<b>1</b> EF 2120	<b>7</b> EF 4080	<b>13</b> EF 6070	<b>19</b> EF 6240
<b>2</b> EF 3120	<b>8</b> EF 4120	<b>14</b> EF 6120	<b>20</b> EF 6280
<b>3</b> EF 3170	<b>9</b> EF 4140	<b>15</b> EF 6140	<b>21</b> EF 6320
<b>4</b> EF 3220	<b>10</b> EF 4170	<b>16</b> EF 6150	<b>22</b> EF 6420
<b>5</b> EF 4040	<b>11</b> EF 4220	<b>17</b> EF 6180	<b>23</b> EF 8320
<b>6</b> EF 4070	<b>12</b> EF 4320	<b>18</b> EF 6220	

## Mold Options Available on Some Containers

- Solid or mesh walls and bottom
- Reinforced bottoms, hopper fronts
- Open or finger tip handles, 500 minimum
- Two or four handles per container
- Minimum quantities apply to same containers

## Euro-Fix Containers with Solid Base & Sides (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.	Maximum Stack Load lbs.
	L	W	H	L*	W*	H				
<b>EF 2120</b>	7.9	6.0	4.7	6.0	4.1	4.0	0.07	0.6	55	1320
<b>EF 3120</b>	11.9	7.9	4.7	9.9	6.0	4.0	0.15	1.1	55	1320
<b>EF 3170</b>	11.9	7.9	6.7	9.9	6.0	5.8	0.23	1.4	55	1320
<b>EF 3220</b>	11.9	7.9	8.7	9.9	6.0	7.8	0.32	1.8	55	1320
<b>EF 4070</b>	15.8	11.9	3.0	14.1	10.1	2.4	0.24	1.7	55	1320
<b>EFR 4070**</b>	—	Collar	—	—	—	—	—	—	—	—
<b>EF 4120</b>	15.8	11.9	4.8	13.9	10.0	4.1	0.38	1.8	55	1320
<b>EF 4140</b>	15.8	11.9	5.6	13.9	10.0	4.6	0.45	2.0	55	1320
<b>EF 4170</b>	15.8	11.9	6.7	13.9	10.0	5.7	0.55	2.4	55	1320
<b>EF 4220</b>	15.8	11.9	8.7	13.9	10.0	7.7	0.71	2.9	55	1320
<b>EF 4320</b>	15.8	11.9	12.6	14.1	10.2	12.0	1.04	3.7	55	1320
<b>EF 4440</b>	15.8	15.8	16.6	13.9	13.9	15.6	1.90	6.6	55	1320
<b>EF 6070</b>	23.7	15.8	3.0	21.9	14.0	2.3	0.50	2.6	55	1320
<b>EFR 6070**</b>	—	Collar	—	—	—	—	—	—	—	—
<b>EF 6120</b>	23.7	15.8	4.8	21.7	13.9	3.8	0.82	3.5	55	1320
<b>EF 6140</b>	23.7	15.8	5.6	21.7	13.9	4.6	0.97	3.7	55	1320
<b>EF 6150</b>	23.7	15.8	6.0	21.7	13.9	5.0	1.04	3.9	55	1320
<b>EF 6180***</b>	23.7	15.8	7.1	21.7	13.9	6.1	1.25	4.4	55	1320
<b>EF 6220***</b>	23.7	15.8	8.7	21.7	13.8	7.7	1.54	5.6	55	1320
<b>EF 6240</b>	23.7	15.8	9.5	21.7	13.9	8.5	1.68	5.7	55	1320
<b>EF 6280</b>	23.7	15.8	11.3	21.7	13.8	10.2	2.00	6.5	55	1320
<b>EF 6320***</b>	23.7	15.8	12.6	21.7	13.9	11.6	2.25	6.8	55	1320
<b>EF 6420***</b>	23.7	15.8	16.6	21.7	13.8	15.6	2.96	9.2	55	1320
<b>EF 8320</b>	31.5	23.7	12.6	29.7	21.8	11.3	4.59	12.4	55	1320

Note: All specifications are nominal

\* Measurements taken from inside bottom

\*\* Collar raises the container height by 2.5"

\*\*\* 7.5" x 5.5" index card holder is standard. VB: Reinforced Bottom

## Reinforced Bottom Containers (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.	Maximum Stack Load lbs.
	L	W	H	L*	W*	H				
<b>EF 6150 VB</b>	23.7	15.8	6.0	21.9	13.9	4.2	0.93	5.6	110	1320
<b>EF 6180 VB</b>	23.7	15.8	7.1	21.9	13.9	5.3	1.14	4.4	110	1320
<b>EF 6220 VB</b>	23.7	15.8	8.7	21.9	13.9	6.9	1.43	6.8	110	1320
<b>EF 6280 VB</b>	23.7	15.8	11.3	21.7	13.9	9.5	1.89	6.7	110	1320
<b>EF 6320 VB</b>	23.7	15.8	12.6	21.9	13.9	10.9	2.14	7.6	110	1320
<b>EF 6420 VB</b>	23.7	15.8	16.6	21.9	13.9	14.8	2.85	9.9	110	1320

Note: All specifications are nominal

\* Measurements taken from inside bottom

## Euro-Fix Containers With Mesh Base & Sides

Schaefer's complete line of distribution and storage containers. Made of polypropylene, the Euro-Fix Container is available with solid sides and bottom (previous page) and in mesh versions, shown here.

### Designed for Versatility

Euro-Fix containers are sturdy yet lightweight, easy to clean and suitable for use with foods. They are resistant to most oils and acids and can withstand temperature extremes, making them ideal for a variety of different applications.

Sturdy stacking rims ensure the containers can be securely stacked with a stacking load of up to 272 lbs. Ribbing affords high integral rigidity. Smooth base and interior permit filling to maximum capacity.




- 1 EF 4121
- 2 EF 4141
- 3 EF 4171
- 4 EF 4221

- 5 EF 4441
- 6 EF 6121
- 7 EF 6141
- 8 EF 6151

- 9 EF 6181
- 10 EF 6221
- 11 EF 6241
- 12 EF 6281

- 13 EF 6321
- 14 EF 6421
- 15 EF 8321



Mesh Walls and Mesh Bottom



Mesh Walls and Solid Bottom

**Euro-Fix Containers with Solid Base & Mesh Sides** (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.
	L	W	H	L*	W*	H			
<b>EF 4121</b>	15.8	11.9	4.8	13.9	10.0	4.0	0.38	1.8	55
<b>EF 4141</b>	15.8	11.9	5.6	13.9	9.9	4.4	0.45	1.9	55
<b>EF 4171</b>	15.8	11.9	6.7	13.9	9.9	5.6	0.55	2.1	55
<b>EF 4221</b>	15.8	11.9	8.7	13.9	9.9	7.6	0.71	2.6	55
<b>EF 4441</b>	15.8	15.8	16.6	13.9	13.8	15.5	1.90	5.1	55
<b>EF 6121</b>	23.7	15.8	4.8	21.7	13.8	7.7	0.82	3.3	55
<b>EF 6141</b>	23.7	15.8	5.6	21.7	13.8	4.5	0.97	3.2	55
<b>EF 6151</b>	23.7	15.8	6.0	21.7	13.8	5.0	1.04	3.3	55
<b>EF 6181</b>	23.7	15.8	7.1	21.7	13.8	6.1	1.25	3.6	55
<b>EF 6221</b>	23.7	15.8	8.7	21.7	13.8	7.7	1.54	4.7	55
<b>EF 6241</b>	23.7	15.8	9.5	21.7	13.8	8.5	1.68	4.7	55
<b>EF 6281</b>	23.7	15.8	11.3	21.7	13.8	10.2	2.00	5.4	55
<b>EF 6321</b>	23.7	15.8	12.6	21.7	13.8	11.6	2.25	5.3	55
<b>EF 6421</b>	23.7	15.8	16.6	21.7	13.8	15.5	2.96	7.7	55
<b>EF 8321</b>	31.5	23.7	12.6	29.7	21.8	11.2	4.59	11.2	55

Note: All specifications are nominal

\* Measurements taken from inside bottom

**Euro-Fix Containers with Mesh Base & Mesh Sides** (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.
	L	W	H	L*	W*	H			
<b>EF 4123</b>	15.8	11.9	4.8	13.9	10.0	4.0	0.37	1.6	33
<b>EF 4143</b>	15.8	11.9	5.6	13.9	10.0	4.5	0.44	1.8	33
<b>EF 4173</b>	15.8	11.9	6.7	13.9	10.0	5.7	0.54	2.0	33
<b>EF 4223</b>	15.8	11.9	8.7	13.9	10.0	7.6	0.70	2.3	33
<b>EF 4443</b>	15.8	15.8	16.6	13.9	13.9	15.5	1.89	4.8	33
<b>EF 6123</b>	23.7	15.8	4.8	21.7	13.9	3.8	0.80	2.9	33
<b>EF 6143</b>	23.7	15.8	5.6	21.7	13.9	4.4	0.95	2.8	33
<b>EF 6153</b>	23.7	15.8	6.0	21.7	13.9	4.9	1.02	2.9	33
<b>EF 6183</b>	23.7	15.8	7.1	21.7	13.9	6.0	1.23	3.0	33
<b>EF 6223</b>	23.7	15.8	8.7	21.7	13.8	7.6	1.51	4.3	33
<b>EF 6243</b>	23.7	15.8	9.5	21.7	13.9	8.4	1.66	4.4	33
<b>EF 6283</b>	23.7	15.8	11.3	21.7	13.8	10.2	1.98	4.8	33
<b>EF 6323</b>	23.7	15.8	12.6	21.7	13.9	11.5	2.23	4.8	33
<b>EF 6423</b>	23.7	15.8	16.6	21.7	13.8	15.5	2.94	6.8	33

Note: All specifications are nominal

\* Measurements taken from inside bottom

## Accessories: Lids

### Lids for 24" x 16" Container Footprints

- Clip-on lid with stack stops (FB D 604)
- Dust-cover with stacking rim
- Attachable lid, can be retrofitted
- Available in red and grey

### Lid for 16" x 12" Container Footprints

- Dust cover with fingertip handles
- Attachable lid, can be retrofitted
- Available in red and grey

### Lid for 12" x 8" Container Footprints

- Waterfall lid with handles and stacking rim (EF D 32)
- Available in black only

### Lid for 32" x 24" Container

- Waterfall lid with stack stop (ADH 86)
- Available in black only

### Lid for 8" x 6" Container

- Dust cover with stacking rim
- Attachable lid, can be retrofitted
- Available in red and grey

### Lid Hinges and Reinforcing Rings

- For retrofitting lids, two reinforcing rings and two locking lid clips are provided
- Kit for retrofitting lid, add S to order number

## Accessories: Boxes

### Scalloped Handle Insert

- Made of grey polyethylene
- Fills handle opening to keep loose material from spilling

### Index Cards

- For EF 6420, EF 6320, EF 6220 and EF 6180

### Label Holder

- Fits all Euro-Fix containers

### Collar

- EFR 4070
- EFR 6070
- Collar raises the container height by 2.5"



- |   |          |   |         |   |         |
|---|----------|---|---------|---|---------|
| 1 | FB D 604 | 4 | EF D 21 | 7 | EF D 44 |
| 2 | ADH 86   | 5 | EF D 32 | 8 | EF D 64 |
| 3 | FB D 64  | 6 | EF D 43 |   |         |



Scalloped Handle Insert

Dust Covers (measurements in inches)		
Order #	Dimensions	
	L	W
EF D 21	7.8	5.9
EF D 32	11.8	7.8
EF D 43	15.7	11.8
EF D 43 PP3	15.7	11.8
EF D 44	15.7	15.7
EF D 64	23.6	15.7
EF D 64 PP3	23.6	15.7
EF D 3224	31.5	23.7

\* Lid for EF 8320 and FK 8450, black only



Index Cards



Label Holder



Collar

Euro-Fix Accessories (measurements in inches)			
Order #	Description	Dimensions	
		L	W
EFHC	Scalloped Handle Insert	—	—
146 LBL.0703	Index Cards	3.5	7.5
EFE	Label Holder	—	—

## Sub-Containers

- Subdivide Euro-Fix containers to organize small parts
- Wide lip permits easy removal of sub-containers
- Various sizes can be combined
- Available in Blue


### Euro-Fix Sub-Containers

(measurements in inches)

Order #	Outside Dimensions		
	L	W	H
EK 020703	2.2	7.1	3.1
EK 050303L	5.1	3.5	3.1
EK 050303	5.4	3.5	3.8
EK 050304	5.4	3.5	4.4
EK 060303	5.5	3.5	3.1
EK 060503L	6.1	5.0	3.1
EK 060503	6.9	5.4	3.8
EK 060505	6.9	5.4	4.4
EK 070503	7.1	5.1	3.1
EK 080503	7.9	5.5	3.1
EK 110603	10.8	6.9	3.8
EK 100703	10.0	7.1	3.1
EK110804	10.8	6.9	4.4
EK 220303	21.7	3.5	3.8
EK 220304	21.7	3.5	4.4
EK 220603	21.7	6.9	3.8
EK 220604	21.7	6.9	4.4
EK 220703	21.9	3.5	3.1
EK 220303L	21.9	7.1	3.1



1 EK 050303      3 EK 060503L  
2 EK 100703      4 EK 070503



1 EK 080503      3 EK 220303L  
2 EK 060303      4 EK 220703



Lid Hinges & Reinforcing Ring



4-Way Connector Clip

### Connector Clip

Order #	Description
EFK	4-Way Connector Clip



## Pallets & Top Caps to Fit Euro-Fix Containers

### Euro-Fix Top Cap (measurements in inches)

Order #	Dimensions			Tare Weight
	L	W	H	
EFT 4840	48.00	40.90	1.53	lbs. 20

### Euro-Fix Pallet (measurements in inches)

Order #	Dimensions			Net Ratio	Tare Weight	Dynamic Load	Static Load
	L	W	H				
EFP 4840	48.00	40.00	6.13	2.3	lbs. 35	lbs. 4000	lbs. 30000