

LTS Containers



USA HEADQUARTERS
Schaefer Systems International, Inc.

Shipping Address
10021 Westlake Drive
Charlotte, NC 28273

Mailing Address
P.O. Box 7009
Charlotte, NC 28241

Tel: 704-944-4500
Fax: 704-588-1862

PACKAGING SYSTEMS DIVISION
USA, CANADA, MEXICO

1795 Alysheba Way
Suite 6104
Lexington, KY 40509

Tel: 859-294-5615
Fax: 859-294-5616
Toll Free: 888-SSI-TOTE
Email: packaginghelp@ssitote.net

Customer Service
Tel: 704-944-4583
Fax: 704-944-4582

Email: general@ssimail.net
www.ssi-schaefer.us



LTS Containers

Schaefer LTS containers are stack-only containers designed specifically for manual and automated handling.


LTS Advantages

- Three sizes, three footprints
- Two heights
- Available in red
- Reinforced base for use in an AS/RS system with an unsupported rack
- Automation features: lift positions, registration points, horizontal extraction features (LTS K628Z)
- Ergonomic handles
- Built-in label holders
- Drainage holes
- Strong
- Compatible with Euro-Fix and KLT systems
- Compatible with 48" x 40" pallets and 32" x 24" pallets




LTS Containers (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.	Maximum Stack Load lbs.
	L	W	H	L	W	H				
LTS K314	11.7	7.8	5.8	9.1	6.1	4.9	0.16	1.5	22	1320
LTS K614	15.6	11.7	5.8	13.9	9.1	4.2	0.69	3.2	55	1320
LTS K414	23.4	15.6	5.8	20.7	13.8	4.2	0.69	6.0	110	1320
LTS K628	23.4	15.6	11	20.7	13.8	9.4	1.62	8.1	132	1320



LTS Dust Covers

- 1 LTS D3
- 2 LTS D4
- 3 LTS D6



LTS Dividers

- 1 LTS Z3
- 2 LTS Z4
- 3 LTS Z6

LTS Accessories

LTS Dust Covers

- Polystyrene dust covers with “easy off” tabs

LTS Dividers

- Polypropylene horizontal dividers with finger holes

LTS Accessories		
Order #		For Container
Dust Cover	Divider	
LTS D3	LTS Z3	LTS K314
LTS D4	LTS Z4	LTS K414
LTS D6	LTS Z6	LTS K628

LTS Pallet

The LTS pallet is made of polypropylene and is compatible with the MF, LTF, LTS, KLT and EF container lines. The longitudinal runners make the LTS pallet ideal for use with roller tracks, link conveyors, lifting platforms, etc. The raised periphery lip retains loads securely and the 4-way fork entry allows for easy handling and positioning.



EDF 3224.2SBBK1: Bungee Cord Secures Lid to LTPS 815 Pallet



LTS Pallet

LTS Pallet (measurements in inches)				
Order #	Outside Dimensions			Max Load
	L	W	W	
LTS Pallet	31.5	23.6	6.0	550 lbs.