

Mobile Trolleys



USA HEADQUARTERS
Schaefer Systems International, Inc.

Shipping Address
10021 Westlake Drive
Charlotte, NC 28273

Mailing Address
P.O. Box 7009
Charlotte, NC 28241

Tel: 704-944-4500
Fax: 704-588-1862

PACKAGING SYSTEMS DIVISION
USA, CANADA, MEXICO

961 Beasley Street
Suite 120
Lexington, KY 40509

Tel: 859-294-5615
Fax: 859-294-5616
Toll Free: 888-SSI-TOTE
Email: packaginghelp@ssitote.net

Customer Service
Tel: 704-944-4583
Fax: 704-944-4582

Email: general@ssimail.net
www.ssi-schaefer.us

Mobile Trolleys

Designed to provide the right parts at the right time and in the right place. Trolleys are built tough to last. Compatible with Schaefer containers, mobile trolleys can be used for assembly station replenishment or for mobile storage.



Mobile Trolley Features

- Solid welded construction
- Assembly with only 8 bolts
- Compatible with LF Containers 4" casters in hard rubber, 2 swivel and 2 fixed
- Frame baked enamel, trays galvanized

Mobile Trolleys

Order#	Holds Containers*	Dimensions		
		L	W	H
R 20	70 - LF090605 or 70 - 147.090605PT3 or 70 - 147.090605GV2	34.28"	21.25"	57.08"
R 25	40 - LF090605, 70 - LF00503 or 40 - 147.090605PT3, 70 - 147060503PT3 or 40 - 147.090605GV2, 70 - 147060503GV2	34.28"	21.25"	57.08"
R 30	140 - LF060503 140 - LF090605 or 140 - 147.090605PT3	34.28"	21.25"	57.08"
R 40	98 - LF090605 or 98 - 147.090605PT3 or 98 - 147.090605GV2	44.88"	21.25"	57.08"
R 45	56 - LF090605, 100 - LF00503 or 56 - 147.090605PT3, 100 - 147060503PT3 or 56 - 147.090605GV2, 100 - 147060503GV2	44.88"	21.25"	57.08"
R 50	200 - LF060503 or 200 - LF090605 or 200 - 147.090605PT3	44.88"	21.25"	57.08"

* Containers must be ordered separately

Stocking Trolleys

Trolley for faster, easier stocking and order picking. Available in one width, two heights and two lengths. Ladder version is available in two heights. Two shelves, which are adjustable, are standard on both models. Shelves have a rim to keep goods from sliding off.



From Left to Right: RW 4512, RW 4509, RW 4579

Basic Stocking Trolley Features

- Rugged welded-steel frame and plastic handle
- Equipped with two swivel and two fixed rubber casters, making trolley easy to maneuver in narrow aisles
- Compatible with LF Containers
- Manufactured in silver grey metallic finish

Stocking Trolley with Ladder

Trolleys equipped with lightweight ladders made of tubular steel. Ladder locks into position when in use. When relieved of the weight, ladder lifts up off the floor and moves with the trolley on two swiveling rubber wheels.

- Available with 5 or 6 steps
- Steps are made of slip-resistant beech wood
- For safety, ladder is equipped with handrails
- Manufactured in silver grey metallic finish

Stocking Trolleys

Order#	Item	Dimensions						Steps in Ladder
		L	W	H	w/Ladder	Top Step		
RW 4579	Basic Stocking Trolley	37"	76"	76"	76"	16"	—	
RW 4509	Basic Stocking Trolley	37"	76"	76"	76"	16"	—	
RW 4512	Basic Stocking Trolley	37"	76"	76"	76"	16"	—	
RWL 4579	Stocking Trolley w/Ladder	37"	76"	76"	76"	16"	5	
RWL 4509	Stocking Trolley w/Ladder	37"	76"	76"	76"	16"	5	
RWL 4512	Stocking Trolley w/Ladder	37"	76"	76"	76"	16"	6	



RW 4512



RW 4509



RW 4579