

SB BulkStac™ Containers (AIAG)



USA HEADQUARTERS
Schaefer Systems International, Inc.

Shipping Address
10021 Westlake Drive
Charlotte, NC 28273

Mailing Address
P.O. Box 7009
Charlotte, NC 28241

Tel: 704-944-4500
Fax: 704-588-1862

PACKAGING SYSTEMS DIVISION
USA, CANADA, MEXICO

1795 Alysheba Way
Suite 6104
Lexington, KY 40509

Tel: 859-294-5615
Fax: 859-294-5616
Toll Free: 888-SSI-TOTE
Email: packaginghelp@ssitote.net

Customer Service
Tel: 704-944-4583
Fax: 704-944-4582

Email: general@ssimail.net
www.ssi-schaefer.us

SB BulkStac™ Containers

BulkStac™ is lighter than comparable boxes on the market. The base achieves its rigidity with periphery runners only. This eliminates the need for a center foot which can deflect downward and damage product in the container below.

Sidewalls snap onto the base for easy replacement. Doors are available on all four sides of 34" boxes; available on 2 sides of 25" boxes.

Industry Best!

12.75" collapsed height allows stacks of 9 high on truck (234 p/truck).

Compared to boxes that fit only 208 p/truck (8 high stacks), BulkStac™ offers 12.5% freight savings, eliminating a full truckload of returns every 8th load.

Industry Best!

33.8 and 25.6" erect heights provide maximum utilization of truck volume.

The BulkStac™ base is designed to prevent splitting of corner feet under load, which is a failure mode of comparable boxes on the market.

The flat deck provides more usable internal cube than comparable boxes on the market. The solid deck floor eliminates the expense of divider pad to cover an open-grid deck floor.

Industries That May Benefit

Agriculture, Appliance, Automotive, Consumer goods, Industrial Equipment and others.



SB BulkStac™ Features

- Wider access door openings than comparable boxes on the market
- Banding slots on 45" walls
- Large ID tag on base center foot on 48" side = 9.0 x 3.3"
- Large 5.25 x 13.5" label area per wall – accepts two placards side-by-side or a KanBan cardholder
- Fill line mark 1" below top rim
- Rated for 2,000 lb. loads
- Integrated door hinges using injection molded push pins for easy replacement



Collapsed & Open Access Doors



Stacked and in Collapsed Position

SB BulkStac™ Containers (measurements in inches, unless specified)

| Order # | Outside Dimensions | | | Inside Dimensions | | | | | Volume | | Deck Height | Collapsed Height | Nesting Depth |
|-------------------|--------------------|------|------|-------------------|------|------|-----------|-------------|------------------------|------------------------------|-------------|------------------|---------------|
| | L | W | H | L | W | H | Fill Line | Dome Height | ft ³ Inside | ft ³ To Fill Line | | | |
| SB 4845-25 | 48.0 | 45.0 | 25.6 | 44.5 | 41.5 | 19.6 | 18.6 | None | 20.9 | 19.9 | 6 | 12.75 | 1 |
| SB 4845-34 | 48.0 | 45.0 | 33.8 | 44.5 | 41.5 | 27.8 | 26.8 | None | 29.7 | 28.6 | 6 | 12.75 | 1 |

| | In-Truck Stack Height | | Access Door Openings | | | | Tare Weight | Truckload Quantity | |
|-------------------|-----------------------|----------------|----------------------|------------|------------|------------|-------------|--------------------|-----|
| | H Erect | H Collapsed | W 48" Side | H 48" Side | W 45" Side | H 45" Side | lbs. | 53 ft Trailer | |
| SB 4845-25 | 99.4 (4 High) | 106.7 (9 High) | 27.6 | 11.5 | N/A | N/A | 93 | 104 | 234 |
| SB 4845-34 | 99.4 (3 High) | 106.7 (9 High) | 31.9 | 15.4 | 27.6 | 11.5 | 117 | 78 | 234 |

SB BulkStac™ Snap-in Fixed Wall Height Extensions

As Height Extensions: Parts have snap-in bottom edge and hinge elements on top rim. Extensions snap onto base and then folding BulkStac™ walls snap onto them. Extensions also allow for dunnage storage. Three sizes: 8, 11 and 16".

As Fixed Walls: Parts have a smooth top edge so when snapped onto the base, they make a fixed wall container. Two sizes: 8 and 11".

SB BulkStac™ Height Extensions (measurements in inches, unless specified)

| | | | |
|----------------------------------|-------------|--------------|--------------|
| 4845-25 Height Extensions | 8.25 | 11.44 | 16.22 |
| New Container Height | 33.8 | 37.1 | 41.7 |
| Stacks in Truck | 3.0 | 2.0 | 2.0 |
| Fill Line Height | 26.8 | 31.1 | 34.7 |
| 4845-34 Height Extensions | 8.25 | 11.44 | 16.22 |
| New Container Height | 42.1 | 45.3 | 50.0 |
| Stacks in Truck | 2.0 | 2.0 | 2.0 |
| Fill Line Height | 35.1 | 38.3 | 43.0 |
| Fixed Wall Container | 8.28 | 11.55 | |
| Height of Container | 17.4 | 20.7 | |
| Stacks in Truck | 6 | 5.0 | |
| Fill Line Height | 10.4 | 13.7 | |



Collapsed Extended Height Container



Extended Height 42" Tall



Label Option: ID Plate 3x3" up to 9x3"